



JamesHardie

Siding | Trim



Achieve authentic character and
UNCOMPROMISING PERFORMANCE.



WEST
Product
Catalog



It's time to
BUILD SOMETHING TIMELESS.



JamesHardie

Installed on over 8 million homes* from coast to coast, James Hardie® fiber cement siding products are designed to resist the most extreme conditions while romancing the senses. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.

UNIQUE FORMULATION

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

FINISHING TECHNOLOGY

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

COMPLETE EXTERIOR™

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

*Estimate based on total James Hardie siding sales through 2016 and average housing unit size.

CONTENTS

4	HardieZone® System
6	Unique Formulation
8	Finishing Technology
10	James Hardie Complete Exterior™
12	HardiePlank® Lap Siding
14	HardiePanel® Vertical Siding
16	HardieShingle® Siding
18	HardieTrim® Boards
20	HardieSoffit® Panels
22	Color Inspiration
24	Color Selection
26	HardieWrap® Weather Barrier
27	Finishing Touches
28	The James Hardie Difference
30	Warranty and Endorsements

HardieZone® System


Only James Hardie fiber cement products are Engineered for Climate®. In the northern U.S. and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

NO MATTER WHAT NATURE BRINGS



HardieShingle®
7 in. Straight
Edge Panel
Timber Bark



Unique Formulation

HZ5® AND HZ10® Substrate


Not all fiber cement is the same. The James Hardie HZ5 and HZ10 products contain the highest quality raw materials. Our unique formulations, combined with innovative product design and manufacturing processes, create two distinct substrates. Each substrate is precisely engineered to resist moisture, cracking, shrinking and swelling in the specific region for which it is designed.

PROPRIETARY ENHANCEMENTS CREATE DURABLE JAMES HARDIE® SIDING



Perfect balance of strength and workability

Our balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.



Enhanced moisture resistance for unmatched durability

Patented and proprietary additives are chemically bonded within the substrate matrix to provide durable moisture resistance.



Increased dimensional stability

Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that helps protect against shrinking and splitting.



Integrity is ingrained
IN EVERYTHING WE DO.

HardieTrim®
5/4 x 5.5 in.
Arctic White

UNMATCHED INVESTMENT IN MANUFACTURING SCALE AND PRODUCT INNOVATION

- Largest manufacturer of fiber cement in North America
- 5x more capacity than our largest competitor
- More than 100 process and product quality checks
- 100+ scientists and engineers provide dedicated resources for continuous innovation in manufacturing and product development
- More U.S. fiber cement patents than any competitor

YOUR RETURNS ON OUR INVESTMENT

- Superior siding and trim performance for beauty that lasts
- Consistency in appearance from board to board
- Natural-looking profiles for authentic character

Finishing Technology

Primer

A quality primer is the first step to ensuring that the paint color you select beautifully expresses a home's true character now – and for years to come. Our distinctive primers – green for HZ5 and gold for HZ10 – are engineered for climate and for use with paint on James Hardie fiber cement siding products. It helps to provide consistent, long-lasting paint adhesion, even in the most demanding conditions.



ColorPlus® Technology

Our advanced ColorPlus® Technology finishes deliver the ultimate in aesthetics and performance. Our products aren't simply painted at the factory. Multiple coats of color are baked onto the board, giving homes a durable, rich and consistent color no field-applied house paint can match.



- Superior finish adhesion
- Superior color retention
- Superior UV resistance
- Year-round installation





HardieShingle®
7 in. Staggered
Edge Panel
Iron Gray

HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
7.25 in. Select
Cedarmill®
Monterey Taupe

For timeless beauty
BEGIN WITH THE FINISH.



ColorPlus®
Technology
Sandstone Beige

HardieSoffit®
Panels

HardiePlank®
Lap Siding

HardiePanel®
Vertical Siding &
HardieTrim®
Batten Boards

Exceptional warranties through a
SINGLE, TRUSTED MANUFACTURER.

James Hardie Complete Exterior™

ColorPlus®
Technology
Monterey Taupe

HardieShingle®
Siding

HardieTrim®
Boards

Top to bottom, our exterior product line is defined by excellent performance, aesthetics and design options.

Provide protection from the elements, showcase a homeowner's individual style and install peace of mind with exceptional warranties through a single, trusted manufacturer.



SELECT CEDARMILL®*Woodstock Brown***SMOOTH***Countrylane Red*

Thickness	5/16 in.					
Length	12 ft. planks					
Width	5.25 in.*	6.25 in.	7.25 in.	8.25 in.	9.25 in.*	12 in.*
Exposure	4 in.	5 in.	6 in.	7 in.	8 in.	10.75 in.
ColorPlus Pcs./Pallet		280	252	210		
Prime Pcs./Pallet	360	308	252	230	190	152
Pcs./Sq.	25.0	20.0	16.7	14.3	12.5	9.3

BEADED CEDARMILL®*Khaki Brown***BEADED SMOOTH***Heathered Moss*

Thickness	5/16 in.					
Length	12 ft. planks					
Width	8.25 in.					
Exposure	7 in.					
ColorPlus Pcs./Pallet	210					
Prime Pcs./Pallet	240					
Pcs./Sq.	14.3					

CUSTOM COLONIAL ROUGHSAWN®***Mountain Sage***CUSTOM COLONIAL SMOOTH®*****Timber Bark*

Thickness	5/16 in.					
Length	12 ft. planks					
Width	8 in.					
Exposure	6.75 in.					
ColorPlus Pcs./Pallet	216					
Prime Pcs./Pallet	240					
Pcs./Sq.	14.9					

RUSTIC CEDAR****Not available with ColorPlus Technology*

Thickness	5/16 in.					
Length	12 ft. planks					
Width	6.25 in.	8.25 in.				
Exposure	5 in.	7 in.				
Pcs./Pallet	308	230				
Pcs./Sq.	20	14.3				

*These 5.25 in., 9.25 in. and 12 in. are only available primed.

**Custom Colonial Roughsawn and Custom Colonial Smooth are only available in the HZ10 zone.

***Rustic Cedar available exclusively in Washington, Denver and Oregon districts.

Products are available primed or with ColorPlus Technology finishes. All sizes and textures not available in all areas.

For more details, visit jameshardiepros.com





SELECT CEDARMILL®

Navajo Beige

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5



SMOOTH

Evening Blue

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5



STUCCO

Navajo Beige

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5



SIERRA 8

Not available with ColorPlus Technology

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5

*All 4 ft. x 9 ft. HardiePanel vertical siding only available primed.

Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardiepros.com





STAGGERED EDGE PANEL

Sandstone Beige

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exp.	6 in.
Pcs./Pallet	100
Sq./Pallet	2
Pcs./Sq.	50



STRAIGHT EDGE PANEL

Iron Gray

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exp.	7 in.
Pcs./Pallet	86
Sq./Pallet	2
Pcs./Sq.	43



INDIVIDUAL SHINGLES*

Monterey Taupe

Thickness	1/4 in.				
Length	4.2 in.	5.5 in.	6.75 in.	7.25 in.	10 in.
Height	15.25 in.				
Exp.	7 in.				
Pcs./Pallet	630				
Sq./Pallet	2				
Pcs./Sq.	315				



HALF ROUNDS

Not available with ColorPlus Technology

Thickness	1/4 in.
Length	48 in.
Height	15.25 in.
Exp.	7 in.
Pcs./Pallet	86
Sq./Pallet	2
Pcs./Sq.	43

*Individual Shingles not available in the Denver district.



HARDIETRIM® BOARDS

4/4 RUSTIC GRAIN®

Autumn Tan



4/4 SMOOTH

Autumn Tan



Thickness	.75 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Primed Pcs./Pallet	322	184	138	115	92


5/4 RUSTIC GRAIN®

Autumn Tan



5/4 SMOOTH

Autumn Tan



Thickness	1 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Primed Pcs./Pallet	238	136	120	85	68

Pallet counts shown are for primed HZ10® products.
For information on other products, visit jameshardie.com/trim.

HARDIETRIM® BATTEN BOARDS



RUSTIC GRAIN®

Autumn Tan

Thickness	.75 in.
Length	12 ft. boards
Width	2.5 in.
Pcs./Pallet	437




SMOOTH

Autumn Tan

Thickness	.75 in.
Length	12 ft. boards
Width	2.5 in.
Pcs./Pallet	437





VENTED CEDARMILL®

Sail Cloth

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in.
ColorPlus Pcs./Pallet	216	156	108
Prime Pcs./Pallet	200	150	100



VENTED SMOOTH

Not available with ColorPlus Technology


Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in.
Pcs./Pallet	200	150	100



NON-VENTED CEDARMILL®

Sail Cloth

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50



NON-VENTED SMOOTH

Not available with ColorPlus Technology

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 in.
Pcs./Pallet	200	150	100	50

Using the proper amount of vented HardieSoffit panels is crucial to a building's ventilation performance. James Hardie has taken the guess work out of soffit ventilation by providing the table below illustrating the minimum amount of vented HardieSoffit panels recommended for your attic space.**

ATTIC SQ. FT.	LINEAR FT. OF VENTED SOFFIT
200	10
300	14
400	19
500	24
600	29
700	34
800	38
900	43
1000	48
1100	53
1200	58
1300	62
1400	67
1500	72
1600	77
1700	82
1800	86
1900	91
2000	96
2100	101
2200	106
2300	110
2400	115
2500	120
2600	125
2700	130
2800	134
2900	139
3000	144
3100	149

*These 48 in. x 8 ft. panels only available primed.

**Linear Feet of Vented Soffit calculation is based on 2012 International Residential Code (IRC) Section 806.2, Exception 2, with a 50% upper attic and 50% lower attic split of required ventilation, using soffit with a net free ventilation of 5 square inches per linear foot. This Exception is also approved in 2015 IRC Section 806.2. Always consult a building design professional to confirm attic ventilation meets local building code requirements.



Cast your homes in
THE MOST ROMANTIC LIGHT.

Khaki Brown

Cobble Stone


Timber Bark

SUBTLE BLENDS

Color Inspiration




COOL TONES




Use deeper body colors for a warm, welcoming feeling. Make homes appear larger with soft contrasts between siding and trim. The right color combinations leave lasting impressions. Our color specialists designed the rich ColorPlus finish collection to help you express what's special about every home you build.

COMPLEMENTARY



WARM TONES




Express the true nature of a home's character with ColorPlus® Technology

PLANK, PANEL, BATTEN AND SHINGLE COLORS

				
ARCTIC WHITE	KHAKI BROWN	HEATHERED MOSS	PEARL GRAY	LIGHT MIST
				
SAIL CLOTH	COBBLE STONE	MOUNTAIN SAGE	GRAY SLATE	BOOTHBAY BLUE
				
NAVAJO BEIGE	MONTEREY TAUPE	CHESTNUT BROWN	AGED PEWTER	EVENING BLUE
				
SANDSTONE BEIGE	WOODSTOCK BROWN	TRADITIONAL RED	NIGHT GRAY	IRON GRAY
				
AUTUMN TAN	TIMBER BARK	COUNTRYLANE RED	RICH ESPRESSO	

TRIM AND SOFFIT COLORS



ARCTIC WHITE



NAVAJO BEIGE



COBBLE STONE



SAIL CLOTH



SANDSTONE BEIGE



MONTEREY TAUPE



AUTUMN TAN



WOODSTOCK BROWN



KHAKI BROWN



TIMBER BARK

Explore our color palettes and differentiate your homes with stunning curb appeal. These distinctive tones are drawn from natural environments, complementing your design with the look of America's idyllic neighborhoods.



Selecting a color? Request a product sample at [jameshardiepros.com/samples](https://www.jameshardiepros.com/samples)

Colors shown are as accurate as printing methods will permit. Please see actual product sample for true color.

No exterior cladding can prevent 100% of water intrusion. Your homes should have an additional line of defense. HardieWrap® weather barrier provides a superior balance of water resistance and breathability, keeping the area within the wall drier. This helps prevent moisture accumulation that may lead to mold and mildew growth.

INSTALLATION ADVANTAGES

- Thicker, more durable material for easier, quicker installation
- Superior tear resistance helps prevent water infiltration
- Can be installed with staples in place of cap nails for cost savings
- Provides a higher level of performance, no matter what type of cladding you specify



We've got performance covered
FROM THE INSIDE OUT.



WEATHER BARRIER

Thickness	11 mil.			
Length	100 ft.	100 ft.	150 ft.	150 ft.
Width	3 ft.	9 ft.	9 ft.	10 ft.

PRO-FLASHING

Thickness	20 mil.		
Length	75 ft.	75 ft.	75 ft.
Width	4 in.	6 in.	9 in.

FLEX FLASHING

Thickness	60 mil.	
Length	75 ft.	75 ft.
Width	6 in.	9 in.

SEAM TAPE

Thickness	3.2 mil.
Length	164 ft.
Width	1-7/8 in.



To learn more about our weather barrier's advantages, visit jameshardiepros.com

Finishing Touches

ColorPlus Technology Accessories

TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our Touch-up Kits offer resistance to aging, color change and chalking. Included in the kits, Touch-up Pens conceal nailheads and very small nicks and scratches.



COLOR-MATCHED CAULK

OSI® QUAD® MAX sealant offers a high performance sealant solution to color match James Hardie ColorPlus products.



Trim Accessories

FLAT TABS

Reduce nail holes and improve the aesthetic of trim applications around windows, doors and band boards.

CORNER TABS

Use corner tabs to reduce the appearance of nail holes that would detract from the finished look of corner trim installations.



Find useful job-site tips in our industry-leading Best Practices Guide. For the latest installation instructions, visit [jameshardiepros.com](https://www.jameshardiepros.com)



HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
7.25 in. Select
Cedarmill®
Timber Bark

As unforgettable
AS IT IS UNCOMPROMISING.



See the James Hardie Difference



James Hardie invented fiber cement. Over 8 million homes* later, we continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our employees, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.


*Estimate based on total James Hardie siding sales through 2016 and average housing unit size.

Warranty

Protect your homes with North America's #1 brand of siding backed by exceptional warranties. Unlike other brands, James Hardie doesn't prorate our siding and trim warranty coverage. We stand behind our siding 100% for 30 years and trim for 15 years.

ColorPlus Technology finishes come with a 15-year limited warranty.

James Hardie Non-Prorated Siding Substrate Warranty Coverage



Endorsements — a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.*



Featured on the **DIY Network's Blog Cabin** since 2012



Chosen by builders as a **Brand Leader** in **Builder Magazine** since 2009



HardiePlank lap siding is backed by the **Good Housekeeping Seal**

*Endorsements accurate as of 2017.



HardiePlank®
8.25 in.
Select Cedarmill®
Countrylane Red

HardieTrim®
5/4 x 5.5 in.
Arctic White

Make every home
AN EXPRESSION OF YOUR CHARACTER.



1.888.542.7343 | jameshardiepros.com

© 2018 James Hardie Building Products Inc. All Rights Reserved. TM, SM, and © denote trademarks or registered trademarks of James Hardie Technology Limited. OSI and QUAD are registered symbols of Henkel Corporation. HS1887 04/18



JamesHardie

Siding | Trim